## MATERIAL SAFETY DATA SHEET

# PENNKOTE LIMITED - 1950 BOUNDARY ROAD - WHITBY, ONTARIO. L1N 8P8

## EMERGENCY PHONE: (905) 683-6447

# DATE REVISED: 4/15/16 REVISED BY: D STEFAN

### 1. PRODUCT INFORMATION

| PRODUCT NAME:         | AQUABAN 4  |
|-----------------------|------------|
| GENERIC NAME:         | WATER SOL  |
| PRODUCT USE:          | MASONRY A  |
| WHIMS CLASSIFICATION: | CLASS D2B. |

AQUABAN 400. WATER SOLUBLE INORGANIC POLYMER. MASONRY AND CONCRETE WATERPROOFING.

# 2. HAZARDOUS INGREDIENTS

| COMPONENT NAME | % CONC  | LD50ORAL | LD50DERMAL | LC50 | CAS NUMBER |
|----------------|---------|----------|------------|------|------------|
|                | (WT/WT) | RAT      | RABBIT     | RAT  |            |

N.AP.

## 3. PHYSICAL DATA

| PHYSICAL STATE:                            | LIQUID.                     |
|--|-----------------------------|
| ODOUR AND APPEARANCE:                      | COLOURLESS, ODORLESS FLUID. |
| ODOUR THRESHOLD:                           | N.AP.                       |
| SPECIFIC GRAVITY (g/cm <sup>3</sup> @20C): | 1.08                        |
| VAPOUR PRESSURE:                           | N.AP.                       |
| VAPOUR DENSITY (AIR=1):                    | N.AP.                       |
| EVAPORATION RATE:                          | N.AV.                       |
| BOILING POINT (°C):                        | N.AV.                       |
| FREEZING POINT (°C):                       | N.AV.                       |
| pH:  | 11                          |
| COEFFICIENT OF WATER/OIL                   |                             |
| DISTRIBUTION:                              | N.AV.                       |

### 4. FIRE OR EXPLOSION HAZARDS

FLASHPOINT (METHOD): UPPER FLAMMABLE LIMIT (% BY VOL.): LOWER FLAMMABLE LIMIT: AUTO IGNITION TEMPERATURE (°C): HAZARDOUS COMBUSTION PRODUCTS: CONDITIONS OF FLAMMABILITY: EXPLOSION SENSITIVITY: MEANS OF EXTINCTION: SPECIAL FIREFIGHTING PROCEDURES: NON FLAMMABLE. N.AP. N.AP. N.AP. N.AP. NOT SENSITIVE. N.AP. N.AP. N.AP

#### 5. REACTIVITY DATA

CHEMICAL STABILITY:

**INCOMPATIBILITY:** 

STABLE.

HYDROGEN.

PROLONGED CONTACT WITH METALS SUCH AS ALUMINIUM, TIN, LEAD OR ZINC MAY PRODUCE HYDROGEN GAS.

HAZARDOUS DECOMPOSITION PRODUCTS:

CONDITIONS OF REACTIVITY:

MAY REACT WITH INCOMPATIBLE MATERIALS TO PRODUCE FLAMMABLE HYDROGEN GAS.

#### 6. TOXICOLOGICAL PROPERTIES

| ROUTES OF ENTRY:                         | INGESTION, INHALATION, EYE AND SKIN CONTACT.   |
|--|--|
| EFFECTS OF ACUTE EXPOSURE:               | IRRITATION MAY RESULT DUE TO EYE AND SKIN<br>CONTACT. INHALATION MAY IRRITATE RESPIRATORY<br>TRACT. INGESTION MAY IRRITATE DIGESTIVE<br>TRACT. |
| EFFECTS OF CHRONIC EXPOSURE:             | NO KNOW CHRONIC HAZARDS.   |
| EXPOSURE LIMITS:                         | RECOMMENDED CEILING LIMIT 5mg/m <sup>3</sup> .   |
| SENSITIZATION:                           | DOES NOT OCCUR.  |
| TOXICOLOGICALLY SYNERGISTIC<br>PRODUCTS: | NONE KNOWN.  |
| OTHER HEALTH EFFECTS:                    | NONE KNOWN.  |

### 7. FIRST AID MEASURES

| SKIN CONTACT: | FLUSH WITH PLENTY OF WATER.  |
|---------------|--|
| EYE CONTACT:  | FLUSH WITH WATER FOR AT LEAST 15 MINUTES.                                |
| INGESTION:    | DO NOT INDUCE VOMITING, DILUTE WITH WATER OR MILK.<br>CONSULT PHYSICIAN. |

#### 8. PREVENTIVE MEASURES

### PERSONAL PROTECTIVE EQUIPMENT:

| GLOVES:                     | RUBBER.  |
|-----------------------------|--|
| RESPIRATORY:                | NIOSH APPROVED MIST RESPIRATOR SHOULD BE USED WHEN SPRAYING.   |
| EYES:                       | CHEMICAL GOGGLES.  |
| FOOTWEAR:                   | AS NECESSARY TO PREVENT SKIN CONTACT.  |
| CLOTHING:                   | AS NECESSARY TO PREVENT SKIN CONTACT.  |
| VENTILATION:                | NO SPECIAL REQUIREMENTS.   |
| LEAK & SPILL<br>PROCEDURES: | SMALL SPILLS MAY BE FLUSHED WITH WATER.<br>LARGE SPILLS MAY BE ABSORBED WITH ABSORBANT MATERIAL<br>OR NEUTRALIZED WITH DILUTE ACID AND FLUSHED WITH WATER. |
| WASTE DISPOSAL:             | DISPOSE OF ABSORBED MATERIAL IN GOVERNMENT APPROVED<br>LANDFILL SITE. NEUTRALIZED LIQUID MAY FLUSHED TO SEWERS<br>WITH PLENTY OF WATER.                    |
| HANDLING &<br>STORAGE:      | AVOID CONTACT WITH ALUMINIUM, TIN, LEAD OR ZINC DURING STORAGE. AVOID SKIN CONTACT WHEN HANDLING.  |
| SHIPPING<br>INFORMATION:    | NO SPECIAL PROCEDURES.   |

#### DISCLAIMER

"The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, provincial, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection."

**N.AP.** = NOT APPLICABLE, **N.AV.** = NOT AVAILABLE.