### **MATERIAL SAFETY DATA SHEET**

### PENNKOTE LIMITED - 1950 BOUNDARY ROAD - WHITBY, ONTARIO. L1N 8P8

EMERGENCY PHONE: (905) 683-6447

**DATE REVISED:** 4/15/16 **REVISED BY:** D. STEFAN

### 1. PRODUCT INFORMATION

**PRODUCT NAME:** PENNSEALER EE

GENERIC NAME: EPOXY URETHANE EMULSION

**PRODUCT USE:** PRIMER, SEALER

CLASSIFICATION: CLASS D2A

### 2. HAZARDOUS INGREDIENTS

COMPONENT NAME % CONC LD50ORAL LD50DERMAL LC50 CAS NUMBER (WT/WT) RAT RABBIT INHALATION RAT AEROSOL

**N. BUTOXY PROPANOL** 1 - 2 N.AV. N.AV. N.AV. 5131-66-8

## 3. PHYSICAL DATA

PHYSICAL STATE: LIQUID.

**ODOUR AND APPEARANCE:** GREY, MILD SOLVENT ODOUR.

ODOUR THRESHOLD:N.AV.SPECIFIC GRAVITY:1.02 - 1.03VAPOUR PRESSURE:17.4mm Hg

**VAPOUR DENSITY (AIR=1)** >1 (HEAVIER THAN AIR) **EVAPORATION RATE:** (NBUTYL ACETATE = 1) 0.35

**BOILING POINT (°C):** 100 - 275.

FREEZING POINT (°C):

pH: NEUTRAL

**COEFFICIENT OF WATER/OIL** 

**DISTRIBUTION:** N.AV.

### 4. FIRE OR EXPLOSION HAZARDS

FLASHPOINT NON-FLAMMABLE

UPPER FLAMMABLE LIMIT (% BY VOL): N.AV.
LOWER FLAMMABLE LIMIT: N.AV.
AUTO IGNITION TEMPERATURE (°C): N.AV.

HAZARDOUS COMBUSTION PRODUCTS: CARBON MONOXIDE, OXIDES OF NITROGEN

**CONDITIONS OF FLAMMABLILITY:**NON-FLAMMABLE
EXPLOSION SENSITIVITY:
NOT SENSITIVE.

**MEANS OF EXTINCTION:** CARBONDIOXIDE, DRY CHEMICALS OR FOAM.

### **5. REACTIVITY DATA**

CHEMICAL STABILITY: STABLE.

INCOMPATIBILITY: AVOID CONTACT WITH STRONG ALKALIES.

OXIDIZING AGENTS OR MINERAL ACIDS.

HAZARDOUS DECOMPOSITION PRODUCTS: CARBON MONOXIDE MAY BE PRODUCED

UPON COMBUSTION.

CONDITIONS OF REACTIVITY: MAY REACT IN CONTACT WITH INCOMPATIBLE

MATERIALS.

### **6. TOXICOLOGICAL PROPERTIES**

**ROUTES OF ENTRY:** INHALATION, INGESTION, EYES AND SKIN CONTACT.

**EFFECTS OF ACUTE EXPOSURE:** EYE CONTACT: IRRITATION OCCURS.

SKIN CONTACT: MAY CAUSE MINOR IRRITATION. INGESTION – HARMFUL OR FATAL IF INGESTED. INHALATION – IRRITATION TO RESPIRATORY TRACT

MAY OCCUR.

EFFECTS OF CHRONIC EXPOSURE: LONG TERM OVER EXPOSURE TO HIGH

CONCENTRATION OF VAPOUR WILL IRRITATE RESPIRATORY TRACT AND MAY CAUSE DAMAGE

TO NERVOUS SYSTEM.

**EXPOSURE LIMITS:** TWAEV 50ppm.

## 6. TOXICOLOGICAL PROPERTIES - CONT'D......

**SENSITIZATION:** NOT KNOWN TO OCCUR.

TOXICOLOGICALLY

SYNERGISTIC PRODUCTS: NONE KNOWN.

OTHER HEALTH EFFECTS: NONE KNOWN.

### 7. FIRST AID MEASURES

**SKIN CONTACT:** FLUSH WITH PLENTY OF WATER AND WASH WITH SOAP AND

WATER.

**EYE CONTACT:** FLUSH WITH PLENTY OF WATER FOR AT LEAST 30 MINUTES.

**INGESTION:** DO NOT INDUCE VOMITING. CONSULT PHYSICIAN.

**INHALATION:** REMOVE TO FRESH AIR. RESTORE BREATHING IF NECESSARY.

### 8. PREVENTIVE MEASURES

#### PERSONAL PROTECTIVE EQUIPMENT:

GLOVES: NITRILE, NEOPRENE OR LATEX.

**RESPIRATORY:** RESPIRATOR FOR AREAS OF POOR VENTILATION.

EYES: CHEMICAL SPLASH GOGGLES OR FULL FACE SHIELD.

**FOOTWEAR:** ADEQUATE TO AVOID SKIN CONTACT.

**CLOTHING:** ADEQUATE TO AVOID SKIN CONTACT.

**VENTILATION:** MECHANICAL VENTILATION RECOMMENDED FOR INDOOR USE

OR RESPIRATOR FOR AREAS OF HIGH CONCENTRATION.

LEAK & SPILL VENTILATE AREA. CLEAN UP PERSONNEL SHOULD WEAR

PROCEDURES: PROTECTIVE EQUIPMENT. ABSORB WITH ABSORBANT MATERIAL

AND SHOVEL INTO WASTE CONTAINERS.

WASTE

**DISPOSAL:** HAZARDOUS WASTE MATERIAL. (1) DISPOSE IN COMPLIANCE WITH

FEDERAL, STATE OR LOCAL ENVIRONMENTAL CONTROL

REGULATIONS. (2) INCINERATE UNDER CONTROLLED CONDITIONS. (3) DISPOSE THROUGH A LICENCED WASTE DISPOSAL COMPANY.

PAGE 4

### 8. PREVENTATIVE MEASURES - CONT'D......

HANDLING & STORAGE:

STORE BETWEEN 5 ° C AND 50 ° C.

SHIPPING

NO SPECIAL PROCEDURES.

**INFORMATION:** 

# **DISCLAIMER**

"The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection."