MATERIAL SAFETY DATA SHEET

PENNKOTE LIMITED - 1950 BOUNDARY ROAD. - WHITBY, ONTARIO. L1N 8P8

EMERGENCY PHONE: #905-683-6447

DATE REVISED: 4/15/16 REVISED BY: D STEFAN

1. PRODUCT INFORMATION

PRODUCT NAME:	WATERTITE JOINT SEALANT AND JOINT SEALANT TROWEL- GRADE
GENERIC NAME:	BASE COMPONENT OF TWO COMPONENT JOINT SEALANT.
PRODUCT USE:	SEALER FOR EXPANSION JOINT.
WHIMS CLASSIFICATION:	CLASSES B3 D2B.

2. HAZARDOUS INGREDIENTS

COMPONENT NAME	% CONC (WT/WT)	LD50 ORAL RAT		LC50 RAT	CAS NUMBER
XYLOL	3-7	4.3g/kg	>2g/kg	6300ppm	1330-20-7

3. PHYSICAL DATA

PHYSICAL STATE:	LIQUID.
ODOUR AND APPEARANCE:	BLACK, VISCOUS, PETROLEUM ODOR.
ODOUR THRESHOLD:	N.AV.
SPECIFIC GRAVITY: (g/cm ³ @20C)	1.28.
VAPOUR PRESSURE:	N.AV.
VAPOUR DENSITY (AIR=1)	N.AV.
EVAPORATION RATE:	NEGLIGIBLE.
BOILING POINT (°C):	N.AV.
FREEZING POINT (°C):	N.AV.
pH:	N.AP.
COEFFICIENT OF WATER/OIL	
DISTRIBUTION:	N.AV.

4. FIRE OR EXPLOSION HAZARDS

FLASHPOINT (°C) (METHOD):	42 (PMCC).
UPPER FLAMMABLE LIMIT (% BY VOL.):	N.AV.
LOWER FLAMMABLE LIMIT:	N.AV.
AUTO IGNITION TEMPERATURE (°C):	N.AV.

JOINT SEALANT - MATERIAL SAFETY DATA SHEET - (JS.RPT)

4. FIRE OR EXPLOSION HAZARDS ..cont'd...

CONDITIONS OF FLAMMABILITY: EXPLOSION SENSITIVITY: MEANS OF EXTINCTION: SPECIAL FIREFIGHTING PROCEDURES:	CARBON MONOXIDE, CARBON DIOXIDE, SULPHUR OXIDES. CAN BE MADE TO BURN. FLASHPOINT 42 ° C. NOT SENSITIVE. WATER FOG, CHEMICAL FOAM, DRY CHEMICALS, CARBON DIOXIDE. FIREFIGHTERS SHOULD WEAR SELF CONTAINED BREATHING APPARATUS WHEN FIGHTING FIRES IN A CONFINED SPACE.
5. REACTIVITY DATA	
CHEMICAL STABILITY:	STABLE.
INCOMPATIBILITY:	STRONG OXIDIZERS.
HAZARDOUS DECOMPOSITION PRODUCTS:	CARBON MONOXIDE, CARBON DIOXIDE & SULPHUR OXIDES ON COMBUSTION.
CONDITIONS OF REACTIVITY:	MAY REACT IN PRESENCE OF STRONG OXIDIZERS.
6. TOXICOLOGICAL PROPERTIES	
ROUTES OF ENTRY:	SKIN CONTACT, INHALATION, EYE CONTACT, INGESTION.
EFFECTS OF ACUTE EXPOSURE:	SKIN CONTACT, LITTLE TO NO IRRITATION. EYE CONTACT, MILD IRRITATION. INHALATION & INGESTION, SYMPTOMS OF OVER-EXPOSURE DUE TO INHALATION OR INGESTION UNLIKELY TO OCCUR.
EFFECTS OF CHRONIC EXPOSURE:	NO KNOWN HEALTH EFFECTS DUE TO CHRONIC EXPOSURE.
EXPOSURE LIMITS:	XYLOL 100ppm.
SENSITIZATION:	DOES NOT OCCUR WITH UNACTIVATED PRODUCT.
TOXILOGICALLY SYNERGISTIC PRODUCTS: OTHER HEALTH EFFECTS:	NONE KNOWN. NONE KNOWN.

7. FIRST AID MEASURES

SKIN CONTACT:	WASH AFFECTED AREA THOROUGHLY WITH SOAP AND WATER.
EYE CONTACT:	FLUSH EYE WITH WATER FOR AT LEAST 15 MINUTES. REMOVE ANY FOREIGN MATERIAL. SEEK MEDICAL ATTENTION.
INGESTION:	GIVE LIQUIDS AND INDUCE VOMITING UNLESS VICTIM IS UNCONSCIOUS. OBTAIN MEDICAL ATTENTION.
INHALATION:	REMOVE VICTIM TO FRESH AIR, RESTORE BREATHING IF NECESSARY.

8. PREVENTIVE MEASURES

PERSONAL PROTECTIVE EQUIPMENT: GLOVES: IMPERVIOUS RUBBER. **RESPIRATORY:** NOT REQUIRED, UNLESS IN CONFINED AREA. EYES: CHEMICAL GOGGLES. FOOTWEAR: AS NECESSARY TO PREVENT SKIN CONTACT. **CLOTHING:** AS NECESSARY TO PREVENT SKIN CONTACT. NOTE: ONCE PRODUCT HAS BEEN ACTIVATED, MATERIAL SAFETY DATA SHEET FOR "WATERTITE ACTIVATOR" MUST BE CONSULTED, FOR SAFE HANDLING PROCEDURES. **VENTILATION:** LOCAL EXHAUST. LEAK & SPILL SCRAPE UP MATERIAL & SHOVEL INTO RECOVERY CONTAINERS. PREVENT MATERIALS FROM ENTERING WATERWAYS OR SEWERS. **PROCEDURES:** WASTE (1) LANDFILL ABSORBED MATERIAL IN A GOVERNMENT APPROVED DISPOSAL: LANDFILL SITE. (2) DISPOSE AT LICENCED WASTE DISPOSAL COMPANY. STORE BETWEEN 0 ° C AND 50 ° C. AVOID FREEZING. HANDLING & STORAGE: SHIPPING NO SPECIAL PROCEDURES. **INFORMATION:**

N.AP. = NOT APPLICABLE, **N.AV.** = NOT AVAILABLE.

DISCLAIMER

[&]quot;The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, provincial, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection."