MATERIAL SAFETY DATA SHEET

PENNKOTE LIMITED - 1950 BOUNDARY ROAD - WHITBY, ONTARIO. L1N 8P8

EMERGENCY PHONE: (905) 683-6447

DATE REVISED: 04/15/16 REVISED BY: D STEFAN

1. PRODUCT INFORMATION

PRODUCT NAME: WATERTITE TPM AND TPM TROWELGRADE.

GENERIC NAME: BASE COMPONENT OF TWO COMPONENT MEMBRANE SYSTEM.

PRODUCT USE: WATERPROOFING MEMBRANE.

WHIMS CLASSIFICATION: NOT CONTROLLED.

2. HAZARDOUS INGREDIENTS

COMPONENT NAME % CONC LD50 ORAL LD50 DERMAL LC50 CAS NUMBER

(WT/WT) RAT RABBIT RAT

N.AP.

3. PHYSICAL DATA

PHYSICAL STATE: LIQUID.

ODOUR AND APPEARANCE: BLACK, VISCOUS, PETROLEUM ODOUR.

ODOUR THRESHOLD: N.AV.
SPECIFIC GRAVITY (g/cm³@20°C): 1.26
VOC (g/l) 16.0
VAPOUR PRESSURE: N.AV.
VAPOUR DENSITY (AIR=1): N.AV.

EVAPORATION RATE: NEGLIGIBLE.

BOILING POINT (°C):

FREEZING POINT (°C):

N.AV.

N.AV.

N.AP.

COEFFICIENT OF WATER/OIL

DISTRIBUTION: N.AV.

4. FIRE OR EXPLOSION HAZARDS

FLASHPOINT (°C) (METHOD): >95 (PMCC)

UPPER FLAMMABLE LIMIT (% BY VOL.): N.AV.

LOWER FLAMMABLE LIMIT: N.AV.

AUTO IGNITION TEMPERATURE (°C): N.AV.

HAZARDOUS COMBUSTION PRODUCTS: CARBON MONOXIDE, CARBON

DIOXIDE, SULPHUR OXIDES.

4. FIRE OR EXPLOSION HAZARDS ..cont'd..

CONDITIONS OF FLAMMABLILITY: CAN BE MADE TO BURN.

FLASHPOINT >95 ° C.

EXPLOSION SENSITIVITY: NOT SENSITIVE.

MEANS OF EXTINCTION: WATER FOG, CHEMICAL FOAM, DRY

CHEMICALS, CARBON DIOXIDE.

SPECIAL FIREFIGHTING PROCEDURES: FIREFIGHTERS SHOULD WEAR SELF

CONTAINED BREATHING APPARATUS WHEN FIGHTING FIRES IN A CONFINED SPACE.

5. REACTIVITY DATA

TPM

CHEMICAL STABILITY: STABLE.

INCOMPATIBILITY: STRONG OXIDIZERS.

HAZARDOUS DECOMPOSITION PRODUCTS: CARBON MONOXIDE, CARBON DIOXIDE

AND SULPHUR OXIDES ON COMBUSTION.

CONDITIONS OF REACTIVITY: MAY REACT IN PRESENCE OF

STRONG OXIDIZERS.

6. TOXICOLOGICAL PROPERTIES

ROUTES OF ENTRY: SKIN CONTACT, INHALATION, EYE CONTACT,

INGESTION.

EFFECTS OF ACUTE EXPOSURE: SKIN CONTACT, LITTLE TO NO IRRITATION.

EYE CONTACT, MILD IRRITATION.

INHALATION & INGESTION, SYMPTOMS OF OVER-EXPOSURE DUE TO INHALATION OR INGESTION

UNLIKELY TO OCCUR.

EFFECTS OF CHRONIC EXPOSURE: NO KNOWN HEALTH EFFECTS DUE TO CHRONIC

EXPOSURE.

EXPOSURE LIMITS: N.AP.

SENSITIZATION: DOES NOT OCCUR WITH UNACTIVATED PRODUCT.

TOXICOLOGICALLY

SYNERGISTIC PRODUCTS: NONE KNOWN.

OTHER HEALTH EFFECTS: NONE KNOWN.

7. FIRST AID MEASURES

SKIN CONTACT: WASH AFFECTED AREA THOROUGHLY WITH SOAP AND WATER.

EYE CONTACT: FLUSH EYES WITH WATER FOR AT LEAST 15 MINUTES. REMOVE

ANY FOREIGN MATERIAL. SEEK MEDICAL ATTENTION.

INGESTION: GIVE LIQUIDS AND INDUCE VOMITING UNLESS VICTIM IS

UNCONSCIOUS. OBTAIN MEDICAL ATTENTION.

INHALATION: REMOVE VICTIM TO FRESH AIR, RESTORE BREATHING IF

NECESSARY.

8. PREVENTIVE MEASURES

PERSONAL PROTECTIVE EQUIPMENT:

GLOVES: IMPERVIOUS RUBBER.

RESPIRATORY: NOT REQUIRED, UNLESS IN CONFINED AREA.

EYES: CHEMICAL GOGGLES.

FOOTWEAR: AS NECESSARY TO PREVENT SKIN CONTACT.

CLOTHING: AS NECESSARY TO PREVENT SKIN CONTACT.

NOTE: ONCE PRODUCT HAS BEEN ACTIVATED, MATERIAL SAFETY DATA

SHEET FOR "WATERTITE ACTIVATOR" MUST BE CONSULTED, FOR

SAFE HANDLING PROCEDURES.

VENTILATION: LOCAL EXHAUST.

LEAK & SPILL SCRAPE UP MATERIAL & SHOVEL INTO RECOVERY CONTAINERS.

PROCEDURES: PREVENT MATERIALS FROM ENTERING WATERWAYS OR SEWERS.

WASTE (1) LANDFILL ABSORBED MATERIAL IN A GOVERNMENT APPROVED

DISPOSAL: LANDFILL SITE.

(2) DISPOSE AT LICENCED WASTE DISPOSAL COMPANY.

HANDLING &

STORAGE:

STORE BETWEEN 0 ° C AND 50 ° C. AVOID FREEZING.

SHIPPING

NO SPECIAL PROCEDURES.

INFORMATION:

N.AP. = NOT APPLICABLE, **N.AV.** = NOT AVAILABLE

DISCLAIMER

"The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, provincial, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection."